

Artikel Nr.: 732126

Boden- / Wand- / Deckenleuchte, Lomi, Schwarz-matt, 220-240V AC/50-60Hz, 1x max. 7,00 W

Technische Daten

Charakteristik

Material	Aluminium
Farbe	Schwarz-matt
Optik	
im Lieferumfang	Erdspieß 2,0 m Anschlußkabel inkl. Netzstecker IP44



Elektrische Daten

Leistung	1x max. 7,00 W
Eingangsspannung	220-240V AC/50-60Hz
Eingangsstrom	
Fassung / Sockel	GU10
Anzahl Sockel	1
Netzgerät	
Anschlussmöglichkeit	Netzstecker
Schutzklasse I, II, III	I



Artikel Nr.: 732126

Boden- / Wand- / Deckenleuchte, Lomi, Schwarz-matt, 220-240V AC/50-60Hz, 1x max. 7,00 W

Lichtrichtung


Dreh- und Schwenkbereich	schwenkbar
Neigungswinkel	200°
Abstrahlverhalten	
Reflektor / Linse	

Abmessungen und Gewicht

Länge	95,00
Breite	0,00
Höhe	0,00
Durchmesser	100,00
Gewicht	573,6 g

Grenzwerte

Betriebstemperatur	-30°C - +60°C
Lagertemperatur	-40°C - +85°C
IP - Schutzart	IP65/IP44



IP65/IP44



Leuchte der Schutzklasse I bei der der Schutz gegen elektrischen Schlag nicht allein auf der Basisisolierung beruht, sondern die eine zusätzliche Sicherheitsvorkehrung derart enthält, dass berührbare leitfähige Teile mit Mitteln zum Anschluss an den Schutzleiter der festen Installation ausgerüstet sind, so dass im Fehlerfall der Basisisolierung berührbare leitfähige Teile nicht aktiv werden können.



Aufgrund des komplexen Herstellungsprozesses von LED stellen die angegebenen Werte nur rein statistische Größen dar und müssen nicht zwingend den tatsächlichen Parametern jedes einzelnen LED-Moduls entsprechen, sondern können von den typischen Werten abweichen.

Article no.: 732126

Ground- / Wall- / Ceiling lamp, Lomi, matt black, 220-240V AC/50-60Hz, 1x max. 7,00 W

Technical Data

General Characteristics

Material	aluminum
Colour	matt black
Optics	
included in delivery	Spike 2,0 m connection cable incl. Power Plug IP44



Electrical Characteristics

Power	1x max. 7,00 W
Input Voltage	220-240V AC/50-60Hz
Input current	
Base (standard designation)	GU10
Number of Bases	1
Power supply unit	
Connection possibility	Powerplug
Protection class I, II, III	I

Article no.: 732126

Ground- / Wall- / Ceiling lamp, Lomi, matt black, 220-240V AC/50-60Hz, 1x max. 7,00 W

Light Direction


Rotating and tilting range	swivel
Angle of inclination	200°
Radiation direction	
Reflector / lense	

Dimensions & Weight

Length	95,00
Width	0,00
Height	0,00
Diameter	100,00
Product Weight	573,6 g

Absolute maximum ratings

Working temperature	-30°C - +60°C
Storage temperature	-40°C - +85°C
IP - Code	IP65/IP44



IP65/IP44



Lightings of Protection Class I
in which the protection against electric shock is not based solely on isolation, but an additional safety measure contains such a way that accessible conductive parts are equipped with means for connection to the protective conductor of the fixed installation, so that in case of failure of the basic insulation exposed conductive parts cannot be active.



Because of the complex manufacturing process of the LED the above shown data are just a statistical size, which is not forced to be the realistic data of every LED.